

	L #	Hits	Search Text	DBs
1	L1	270548	SiON or silicon near3 oxynitride	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	132126	wear adj (resistant or resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	4173691	optical or disc or disk or recording	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	27	1 with 2 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	1599203	carbon	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
6	L6	6	1 with 2 with 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	47627	overcoat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	91	1 with 7 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	1656	1 with dielectric and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	44	9 and phase adj change	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	934376	protection or protective	US-PGPUB; USPAT; USOCR
12	L12	768	1 with 11 and 3	US-PGPUB; USPAT; USOCR

	L #	Hits	Search Text	DBs
13	L13	28	12 and (phase adj change or chalcogenide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB